## IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A method of <u>increasing IL-2 production in treating</u> systemic lupus erythematosus <u>T cells</u> in a patient that has systemic lupus erythematosus comprising:

administering gene-modified T cells to said patient, said T cells originating from said patient and having been gene modified by treating them with antisense cAMP response element modulator (CREM) plasmid, to said systemic lupus erythematosus patient, thereby increasing the expression of IL-2 in said T cells in said patient.

- 2.- 9. (cancelled)
- 10. (Currently Amended) A method of treating increasing IL-2 production in systemic lupus erythematosus <u>lymphocytes</u> in a patient having systemic lupus erythematosus comprising:
  - a) removing said lymphocytes from said patient;
  - b) leukopheresing leukophoresing said lymphocytes;
- c) transfecting said <u>leukorpheresed</u> <u>leukophoresed</u> lymphocytes with plasmid vectors containing anti-sense cAMP response element modulator; and
- d) re-infusing said transfected lymphocytes into the patient to increase IL-2 production in said lymphocytes in said patient.
- 11. (previously presented) The method of claim 10, wherein said antisense cAMP response element modulator, is α-antisense cAMP response element modulator that prevents CREM mRNA from being transcribed and forming CREM protein.
  - 12.-14 (cancelled)

15. (Currently Amended) The method of treating increasing IL-2 production in systemic lupus erythemotosus <u>T cells</u> in a patient that has systemic lupus erythemotosus comprising: administering T cells from said patient that have been modified ex vivo to that have decreased cAMP response element modulator mRNA to said patient.

16-28 (cancelled)

29. (Currently Amended) A method of <u>increasing IL-2 production in treating</u> T cells from a systemic lupus erythematosus patient comprising:

removing said T cells from said patient; and

treating said T cells with antisense cAMP response element modulator (CREM); to increase IL-2 production in said T cells.

- 30. (Currently Amended) A method of treating increasing IL-2 production in lymphocytes from a systemic lupus erythematosus patient comprising:
  - a) removing said lymphocytes from said patient;
  - b) leukopheresing leukophoresing said lymphocytes;
- c) transfecting said leukorpheresed leukophoresed lymphocytes with plasmid vectors containing anti-sense cAMP response element modulator to stop the expression of cAMP response element modulator an increase IL-2 production in said lymphocytes.